

### 5.3 Decimals and Fractions

Notice that as a fraction is shrunk in size it begins to look like a division symbol:

$$\frac{3}{5} \quad \frac{3}{5} \quad \frac{3}{5} \quad \div$$

Given this visual similarity, then it is no surprise that a fraction is actually a division problem. A fraction is the quotient of the numerator divided by the denominator. Thus,

$$\frac{3}{5} = 3 \div 5 \Rightarrow 5 \overline{)3.0}$$

30

Some fractions are equivalent to decimals that do not terminate. For example:

$$\frac{1}{3} = 1 \div 3 \Rightarrow 3 \overline{)1.000} \dots$$

9  
 10  
9  
 10  
9  
 1

When a decimal contains a repeating pattern, such as above, we use bar notation:

$$0.333\dots = 0.\overline{3}$$

The repeating pattern may be more than one digit. It could be many digits.

$$\frac{1}{7} = 1 \div 7 \Rightarrow 7 \overline{)1.000000} \dots \Rightarrow 0.\overline{142857}$$

7  
 30  
28  
 20  
14  
 60  
56  
 40  
35  
 50  
49  
 1




<i>Demonstration Problems</i>	<i>Practice Problems</i>
Write the following fractions as decimals. <b>1. (a)</b> $\frac{3}{8}$          <b>2. (a)</b> $-\frac{9}{4}$          <b>3. (a)</b> $\frac{7}{6}$          <b>4. (a)</b> $\frac{27}{11}$	Write the following fractions as decimals. <b>1. (b)</b> $\frac{3}{4}$          <b>2. (b)</b> $-\frac{7}{2}$          <b>3. (b)</b> $\frac{4}{3}$          <b>4. (b)</b> $\frac{43}{22}$
Answers: <b>1. (b)</b> 0.75; <b>2. (b)</b> -3.5; <b>3. (b)</b> $1.\bar{3}$ ; <b>4. (b)</b> $1.95\bar{4}$ ;	

<i>Demonstration Problems</i>	<i>Practice Problems</i>
<p>Simplify.</p> <p><b>5. (a)</b> <math>\frac{3}{8} + 4.9</math></p>          <p><b>6. (a)</b> <math>\frac{4}{5}(8.6 - 4.9)</math></p>          <p><b>7. (a)</b> <math>\left(\frac{1}{4}\right)^2 + (3.2)(7.1)</math></p>	<p>Simplify.</p> <p><b>5. (b)</b> <math>\frac{7}{8} + 6.4</math></p>          <p><b>6. (b)</b> <math>\frac{3}{4}(12.4 - 4.2)</math></p>          <p><b>7. (b)</b> <math>\left(\frac{1}{2}\right)^2 + (3.8)(5.9)</math></p>
<small>Answers: <b>5. (b)</b> 7.275; <b>6. (b)</b> 6.15; <b>7. (b)</b> 22.67</small>	




<i>Demonstration Problems</i>	<i>Practice Problems</i>
Insert <, >, or = to make a true statement.  <b>8. (a)</b> $0.3$ _____ $\frac{3}{4}$  <b>9. (a)</b> $\frac{1}{8}$ _____ $0.8$  <b>10. (a)</b> $0.375$ _____ $\frac{3}{8}$  <b>11. (a)</b> $\frac{2}{3}$ _____ $0.67$  <b>12. (a)</b> $-0.\overline{15}$ _____ $-\frac{5}{33}$	Insert <, >, or = to make a true statement.  <b>8. (b)</b> $0.7$ _____ $\frac{3}{5}$  <b>9. (b)</b> $\frac{1}{4}$ _____ $0.4$  <b>10. (b)</b> $0.875$ _____ $\frac{7}{8}$  <b>11. (b)</b> $\frac{5}{6}$ _____ $0.83$  <b>12. (b)</b> $-0.\overline{227}$ _____ $-\frac{5}{22}$
Answers: <b>8. (b)</b> >; <b>9. (b)</b> <; <b>10. (b)</b> =; <b>11. (b)</b> >; <b>12. (b)</b> =	

*Area and Perimeter*




Recall from section 1.4:

Rectangles	Perimeter	Area
		
Formulas:	$P = 2b + 2h$	$A = bh$

We refer to the perimeter of a circle as “circumference”. The formulas for the circumference and area of a circle are as follows:

Circles	Circumference	Area
		
Formulas:	$C = 2\pi r$	$A = \pi r^2$

Example:

Circles	Circumference	Area
		
Formulas:	$C = 2\pi \cdot 6$ $= 2 \cdot 3.14 \cdot 6$ $= 12 \cdot 3.14$ $= 37.68 \text{ inches}$	$A = \pi \cdot 6^2$ $= 3.14 \cdot 36$ $= 113.04 \text{ square inches}$

<i>Demonstration Problems</i>	<i>Practice Problems</i>
<p>Find the circumference and area of a circle with the following radius. Round to the nearest tenth.</p> <p><b>13. (a)</b> radius = 5 in.</p> <p>circumference:</p>          <p>area:</p>          <p><b>14. (a)</b> radius = 20 in.</p> <p>circumference:</p>          <p>area:</p>	<p>Find the circumference and area of a circle with the following radius.</p> <p><b>13. (b)</b> radius = 9 in.</p> <p>circumference:</p>          <p>area:</p>          <p><b>14. (b)</b> radius = 4 in.</p> <p>circumference:</p>          <p>area:</p>
Answers: <b>13. (b)</b> $C = 56.52$ in., $A = 254.34$ in <sup>2</sup> ; <b>14. (b)</b> $C = 25.12$ in., $A = 50.24$ in <sup>2</sup>	